

**PRO**

**fall**®



**CLOSED LOOP PROFESSIONAL  
REFILLS FOR HOTELS,  
RESTAURANTS, KITCHENS,  
BARS, COFFEE SHOPS & MORE.  
FILL PRO LET'S GO!**



CLEANING VINEGAR  
CITRIC ACID  
BICARBONATE OF SODA



## **FILL PRO SANITISER**

**THE REFILLUTION WILL BE SANITISED.  
READY TO USE HARD SURFACE  
DISINFECTANT CLEANER TESTED  
AGAINST GRAM-POSITIVE & GRAM-  
NEGATIVE BACTERIA, YEASTS, FUNGI &  
VIRUSES.  
CLEANS & SANITISES WASHABLE HARD  
SURFACES.**

**FILL CLEAN REPEAT**

**SUPPLIED IN A CLOSED LOOP.  
AVAILABLE UNSCENTED.**

**TESTED AGAINST EN1276, EN13697,  
EN13727, EN16615, EN1650, EN13624 &  
EN14476.**

**HOW TO USE  
SPRAY ON SURFACE AND LEAVE ON  
FOR DISINFECTION AGAINST BACTERIA,  
YEASTS AND VIRUSES IN 5 MINUTES.  
SPRAY AND LEAVE ON FOR DISINFECTION  
AGAINST FUNGI IN 15 MINUTES.**



## FILL PRO DEGREASER POWDER

**EASY NOT GREASY. ALL ROUND GREASE BUSTER. CUTS THROUGH FAT & OIL IN PROFESSIONAL KITCHENS. HIGH PERFORMANCE. CONTAINS LOW TEMPERATURE ACTIVATOR.**

**FILL CLEAN REPEAT**

**SUPPLIED IN A CLOSED LOOP.  
AVAILABLE UNSCENTED.**

**HOW TO USE**  
**KITCHEN EQUIPMENT, SURFACES, WALLS & FLOORS: DILUTE 1:100 (100G TO 10L) WITH WATER. MOP, SCRUB OR WIPE CLEAN WITH A REUSABLE CLOTH.**  
**POTS, PANS & UTENSILS: FILL BOWL WITH HOT WATER. DILUTE 1:100 (100G TO 10L). CLEAN, RINSE & DRY.**  
**FRYERS: REFER TO MACHINE MANUFACTURER INSTRUCTIONS. SWITCH OFF FRYER. LEAVE TO COOL. DRAIN OIL. DILUTE 1:100 (100G TO 10L) WITH WATER. ADD TO FRYER. APPLY LOW HEAT TO HELP DEGREASING ACTION. DRAIN, RINSE & DRY.**





## FILL PRO COFFEE MACHINE CLEAN

**CLEANS & DESCALES ALL KINDS OF COFFEE MACHINE TANKS, FILTERS & PARTS. BREAKS DOWN GREASE & OIL. TAKES CARE OF SCALE & HARD WATER SALTS. CONTAINS FERMENTED FATTY ACIDS TO LIFT DIRT FOR REMOVAL ON FLUSHING.**

**FILL CLEAN REPEAT**

**SUPPLIED IN A CLOSED LOOP.  
AVAILABLE UNSCENTED.**

### **HOW TO USE**

**REFER TO MACHINE MANUFACTURER INSTRUCTIONS.**

**WATER RESERVOIR: ADD 10-15ML. FILL TANK WITH WATER. FLUSH. REFILL WITH WATER. FLUSH AGAIN. REPEAT UNTIL CLEAN.**

**FILTER: RINSE REGULARLY WITH RUNNING WATER TO AVOID SCALE BUILDUP & REMOVE COFFEE BEAN REMNANTS. DEEP CLEAN WITH 5% SOLUTION (50ML DILUTED IN 1L WATER). SOAK FILTER FOR 20MINS. RINSE & GRIND. TAKE TIME TO DRY BEFORE USE.**



## FILL PRO DESCALER

ALL ROUND CITRIC ACID DESCALER. CUTS THROUGH SCALE IN PROFESSIONAL KITCHENS. USE THRU DISHWASHERS, WASHER EXTRACTORS, COFFEE MACHINES, KETTLES, IRONS, COUNTERS, BATHROOM SURFACES AND MORE.

FILL CLEAN REPEAT

SUPPLIED IN A CLOSED LOOP.  
AVAILABLE UNSCENTED.

### HOW TO USE

SPRAY: SPRITZ ON SURFACE. LEAVE FOR 2 MINS. WIPE CLEAN.

SOAK: APPLY TO SCALY SURFACES & EQUIPMENT FOR 15MINS. RINSE.

MACHINE CLEAN: REFER TO MACHINE MANUFACTURER INSTRUCTIONS. ADD TO DISHWASH OR WASHER EXTRACTOR RINSE CYCLE. DOSE 50 - 100ML FOR LIGHT - HEAVY LIMESCALE REMOVAL.



## FILL PRO DISHWASH

**ORDER UP! PROFESSIONAL MACHINE DISHWASH FOR COOL CLEAN SPARKLING DISHES FREE FROM GREASE & OILS. TAKES CARE OF SCALE & HARD WATER SALTS TOO.**

**FILL CLEAN REPEAT**

**SUPPLIED IN A CLOSED LOOP.  
AVAILABLE UNSCENTED.**

**HOW TO USE  
REMOVE FOOD DEBRIS. NOT FOR HAND WASHING. USE WITH AUTOMATIC DOSING GEAR. ADD 1 - 5ML PER LITRE WATER AT 60 - 65°C DEPENDING ON WATER HARDNESS AND LEVEL OF SOILING. SET DOSE AS FOLLOWS:  
SOFT WATER 0.1%  
MEDIUM HARDNESS 0.2%  
HARD WATER 0.3%**

**REFER TO MACHINE MANUFACTURER INSTRUCTIONS. USE WITH FILL RINSE AID. CHECK DISHWASH SALT LEVEL. NOT FOR USE ON ALUMINIUM, ZINC, OR NON-DISHWASH-SAFE ITEMS.**



## FILL PRO GLASSWASH

**STAY GLASSY! PROFESSIONAL MACHINE GLASSWASH FOR COOL CLEAN & CLEAR SPARKLING GLASSES. TAKES CARE OF GREASE, SCALE & HARD WATER SALTS TOO.**

**FILL CLEAN REPEAT**

**SUPPLIED IN A CLOSED LOOP.  
AVAILABLE UNSCENTED.**

**HOW TO USE  
NOT FOR HAND WASHING OR OPEN-  
TOP MACHINES. USE WITH AUTOMATIC  
DOSING GEAR. ADD 1 - 5ML PER LITRE  
WATER AT 60 - 65°C DEPENDING ON  
WATER HARDNESS AND LEVEL OF  
SOILING. SET DOSE AS FOLLOWS:  
SOFT WATER 0.2%  
MEDIUM HARDNESS 0.25%  
HARD WATER 0.3%**

**REFER TO MACHINE MANUFACTURER  
INSTRUCTIONS. USE WITH FILL RINSE  
AID. CHECK DISHWASH SALT LEVEL. NOT  
FOR USE ON ALUMINIUM, ZINC, OR NON-  
DISHWASH-SAFE ITEMS.**





## FILL PRO RINSE AID

PROFESSIONAL RINSE AID FOR CLEAN DRY DISHES & SPARKLING GLASSES FREE FROM WATER SPOTS. FOR MACHINE DISHWASH & GLASSWASH. USE LESS DISHES. DO FEWER LOADS. WAIT UNTIL FULL.

FILL CLEAN REPEAT

SUPPLIED IN A CLOSED LOOP.  
AVAILABLE UNSCENTED.

HOW TO USE  
REFER TO MACHINE MANUFACTURER INSTRUCTIONS. NOT FOR HAND WASHING OR OPEN-TOP MACHINES. NOT FOR USE ON ALUMINIUM, ZINC, OR NON-DISHWASH-SAFE ITEMS. CHECK SALT LEVEL REGULARLY. USE WITH AUTOMATIC DOSING GEAR. USE WITH FILL PRO DISHWASH OR FILL PRO GLASSWASH. DOSE ACCORDING TO WATER HARDNESS AND LEVEL OF SOILING:

SOFT WATER 0.1%  
MEDIUM HARDNESS 0.2%  
HARD WATER 0.4%



## FILL PRO NORTHANTS CLEANING SOAP

CONCENTRATED ALKALINE LIQUID SOAP  
FOR PROFESSIONAL CLEANING.  
MADE FROM FARRINGTON'S SUSTAINABLY  
PRODUCED COLD PRESSED RAPESEED  
OIL. GROWN DOWN THE ROAD FROM OUR  
FACTORY. SUPPLIED IN A CLOSED LOOP.

FILL CLEAN REPEAT

SUPPLIED IN A CLOSED LOOP.  
AVAILABLE UNSCENTED.

GOOD FOR ALL ROUND PROFESSIONAL  
CLEANING & DEGREASING.  
ADD TABLE SALT TO MAKE A THICK  
PROFESSIONAL OVEN CLEANING PASTE.

HOW TO USE  
FOR BEST RESULTS USE ON WARMED  
OVEN. PAINT ON THE INSIDE. LEAVE FOR  
15MINS. SCOUR. RINSE. WIPE.  
DON'T USE ON ALUMINIUM.



## FILL PRO HAND GEL

COOLS, REFRESHES  
& SANITISES HANDS.  
RINSE-FREE ALCOHOL HAND GEL WITH  
NATURAL MOISTURISERS.

FILL CLEAN REPEAT

SUPPLIED IN A CLOSED LOOP.  
AVAILABLE UNSCENTED | FIG LEAF.

HOW TO USE  
APPLY TO DRY HANDS AS NEEDED.  
ALLOW TO EVAPORATE.





## FILL HAND SOAP

GENTLY CLEANSSES WITHOUT DRYING.  
NEUTRAL PH.  
SMELLS LIKE THE THICK GREEN LEAVES  
ON THE FIG TREES GROWING IN THE  
GARDEN OF MY YIAYIA'S HOUSE IN  
LEFKOSIA.

FILL CLEAN REPEAT

SUPPLIED IN A CLOSED LOOP.  
AVAILABLE UNSCENTED | FIG LEAF.

HOW TO USE  
WET HANDS WITH WARM WATER.  
APPLY HAND SOAP & WORK  
INTO LATHER.  
RINSE.



## FILL HAND CREAM

A MOISTURISING CREAM FOR REGULAR  
CONDITIONING.  
COOLS, REFRESHES & HYDRATES. LEAVES  
HANDS SOFT, SUPPLE & FEELING GOOD.

WITH VEGETABLE GLYCERINE  
& SHEA BUTTER, CAMELINA SEED OIL  
(HIGH IN OMEGA 3 & 6) & ANTIOXIDANTS;  
VITAMIN E  
& POMEGRANATE SEED OIL.

FILL CLEAN RESTORE

SUPPLIED IN A CLOSED LOOP.  
AVAILABLE FIG LEAF.

HOW TO USE  
APPLY TO HANDS & CUTICLES AFTER  
HAND WASHING.  
REPEAT MORNING & NIGHT. GOOD FOR  
ALL SKIN.



## FILL WASH UP

TOUGH ON DIRTY DISHES.  
GENTLE ON HANDS.  
APPLY SPARINGLY.  
A FEW PUMPS WILL CLEAN A BOWL OF  
WASHING UP.

FILL CLEAN REPEAT

SUPPLIED IN A CLOSED LOOP.  
AVAILABLE UNSCENTED | GINGER |  
PEPPERCORN.

HOW TO USE  
ADD 10–15ml (2–3 TEASPOONS) FOR A  
BOWL OF WASHING UP.



**NO  
PROBLEMS  
ONLY  
DILUTIONS**



## FILL EVERYTHING CLEAN

**CLEAN EVERYTHING.  
CONCENTRATED.  
ADD WATER TO MAKE KITCHEN CLEAN,  
ALL PURPOSE OR FLOOR CLEAN.  
MAKE WHAT YOU NEED. KEEP FOR A  
WEEK. NO STREAKS.**

**FILL CLEAN REPEAT**

**SUPPLIED IN A CLOSED LOOP.  
AVAILABLE UNSCENTED | BERGAMOT.**

### **HOW TO USE**

**KITCHEN CLEAN: DILUTE 1:5 TO TACKLE  
GRIME ON WORKTOPS, COOKERS & SINKS.  
SPRAY ONTO SURFACE. LEAVE FOR 15  
SECONDS. WIPE. FOR TOUGH MARKS, LEAVE  
5 MINS BEFORE WIPING.**

**ALL PURPOSE: DILUTE 1:10 FOR ALL ROUND  
WASHABLE HARD SURFACE CLEANING.  
WOOD, VINYL, LAMINATE, CERAMIC TILES.  
EVERYTHING. SPRAY ON. WIPE CLEAN.**

**FLOOR CLEAN: DILUTE UP TO 1:100 FOR  
MOPPING OR LIGHT GENERAL CLEANING.  
ADD WARM WATER. APPLY WITH MOP OR  
CLOTH.  
TEST ON AN INCONSPICUOUS AREA.**



## FILL STEEL & GLASS

CLEANS WINDOWS, GLASS, MIRRORS & STEEL WITHOUT STREAKS.

FILL CLEAN REPEAT

SUPPLIED IN A CLOSED LOOP.  
AVAILABLE UNSCENTED | GERANIUM.

HOW TO USE  
SPRAY ONTO SURFACE. WIPE.



## RAW CLEANING VINEGAR

**WHAT IS IT:**  
**ACETIC ACID 4.8%**

**WHERE DOES IT COME FROM:**  
ACETIC ACID PRODUCED IN THE UK. WE DILUTE TO A SAFER CONCENTRATION, PACK INTO BULK & DELIVER IN A CLOSED LOOP FROM OUR FACTORY IN NORTHAMPTONSHIRE.

**FILL CLEAN REPEAT**

**SUPPLIED IN A CLOSED LOOP.**

**WHAT IS IT GOOD FOR:**  
GREAT AT SHIFTING LIMESCALE & GOOD ON GLASS, FLOORS, WORK SURFACES, BATHROOMS + MORE. CHECK OUT OUR RECIPE FOR CLEANING YOUR WASHING MACHINE LIKE A DREAM. VINEGAR IS ACIDIC. DON'T USE ON NATURAL STONE (LIKE GRANITE OR MARBLE QUARTZ), UNSEALED GROUT OR WAXED SURFACES. TEST ON AN OUT OF SIGHT AREA. DILUTE FURTHER IF YOU'VE GOT ANY WORRIES. WEAR GLOVES!





# RAW CITRIC ACID

**WHAT IS IT:**  
**ACIDIC CHELATING AGENT**

**WHERE DOES IT COME FROM:**  
DERIVED FROM CORN SUGAR. CORN IS HARVESTED, FERMENTED, ACIDIFIED & CRYSTALLISED. IT'S A PRETTY LONG PROCESS WITH A LOAD OF COMPLEX FILTRATION & CRYSTALLISATION.

**FILL CLEAN REPEAT**

**SUPPLIED IN A CLOSED LOOP.**

**WHAT IS IT GOOD FOR:**  
HELPS SHIFT LIMESCALE IN HARD WATER. HARD WATER CONTAINS A WHOLE LOT OF MINERAL IONS – MOSTLY CALCIUM & MAGNESIUM IONS. CITRIC ACID WORKS BY GRABBING (CHELATING) THESE IONS & STOPPING THEM FORMING LIMESCALE.



# RAW BICARBONATE OF SODA

**WHAT IS IT:**  
MILD ALKALI. MINERAL DERIVED FROM  
SODIUM CARBONATE, WATER & RECYCLED  
CO2 (NOT FOOD GRADE).



**WHERE DOES IT COME FROM:**  
A LOW WASTE INDUSTRIAL PROCESS  
USING MATERIALS SOURCED FROM  
REGENERATED BY-PRODUCTS FROM  
OTHER REACTIONS.

**FILL CLEAN REPEAT**

**SUPPLIED IN A CLOSED LOOP.**

**WHAT IS IT GOOD FOR:**  
GOOD FOR ABSORBING BAD SMELLS. CAN  
ALSO BE USED AS A MILD ABRASIVE TO  
HELP CUT GRIME. CHECK THE RECIPES,  
THIS FEATURES IN LOADS.

# ACCREDITATIONS





**FILL REFILL CO**

**ATLAS HOUSE, BURTON ROAD, FINEDON,  
NORTHANTS, NN9 5HX**

**WWW.FILLREFILL.CO**  
 **HELLO@FILLREFILL.CO**  
 **@FILL\_CO**

**FILL CLEAN REPEAT**

**PLEASE CONSIDER THE ENVIRONMENT BEFORE PRINTING**

